

Guidelines for the Manufacture of Raw Pet Food in the UK

PUBLISHED 20 SEPTEMBER 2017

These guidelines are not intended as a substitute for the legislation, nor are they intended as an auditable standard and there is no requirement for companies to be audited against them.

CONTENTS

Ir	ntrodu	ction4	
O	bjectiv	/es5	
S	cope	5	
G	lossary	y6	
1	Reg	gulation and Approval8	
	1.1	Manufacturing facility approval	8
2	Pla	nt Design and Maintenance9	
	2.1	Plant Design	10
	2.2	Maintenance	11
3	Sou	urcing Raw Materials12	
	3.1	Permitted ABPs for raw pet food manufacture	13
	3.2	ABPs Not permitted for raw pet food manufacture	14
	3.3	Choosing ABP suppliers within EU	14
	3.4	Choosing ABP suppliers outside EU	14
	3.5	Non-ABPs Permitted for raw pet food manufacture	15
	3.6	Non-ABPs not permitted for raw pet food manufacture	16
	3.7	Choosing suppliers of non-animal based materials	17
	3.8	Supplier assurance	17
4.	. Har	ndling Raw Materials19	
	4.1	Transporting ABPs	19
	4.2	Deliveries of ABPs	21
	4.3	Storing ABPs	21
	4.4	Disposing of unused/unwanted ABPs	. 22
	4.5	Cleaning your site and vehicles	. 22
	4.6	Handling non-animal based materials	. 22
5	Pro	duction24	
	5.1	Personnel	. 24
	5.2	Production Requirements	. 24
	5.3	Labelling	. 26
	5.4	Product Formulation	27
	5.5	Nutritional analysis	27

HACCP and Quality Management.....28

6.1	Quality Management System	28
6.2	HACCP Requirements	29
6.3	Risk Assessment and Hazard Analysis of Raw Pet Food	29
6.4	Traceability	29
7 P	rotecting Public and Animal Health	31
7.1	Managing risk	31
7.2	Risk Assessment for Raw Pet Food – Biological Hazards	31
7.3	Microbiological Analysis	34
Refere	ences	36
Legi	islation	36
FED	PIAF Guidelines [Available online]	37
Pub	lished literature	37
Annex	(1	39
Anir	mal by-products commercial document – to accompany animal by-products	39
Annex	(2	40
Sum	nmary of documentation requirements for shipments of ABP consignments:	40
Annex	(3	41
Dec	ision Tree to Identify CCPs and OPRPs	41
Annex	(4	42
Exai	mples of Hazards to consider in HACCP design – from FEDIAF Training Guide	42
Annex	¢5	43
Gen	eral steps in a product recall	43
Annex	c 6	44
Effe	ct of freezing on key parasite and protozoal organisms:	44
Annex	· · · · · · · · · · · · · · · · · · ·	46
Mici	robiological Sampling Protocol	46
Annex	c8	47
Che	cklist of action to take in response to a Salmonella testing failure:	47

INTRODUCTION

With the recent growth in popularity of raw pet food and a growing number of UK manufacturers and UK Pet Food members producing raw pet food, this document was brought together as a sector specific guideline for UK Pet Food members summarising regulatory requirements and proposing methods of best practice in an accessible easy-to-use format. Intended as an extension of the "FEDIAF Guide to Good Practice for the Manufacture of Safe Pet Food" the guideline is to be read alongside and not as a replacement. This guideline recognises that due to the minimal treatment of raw pet food additional recommendations to those that exist for processed pet food are necessary to ensure its safe manufacture.

Much of the regulatory requirements originate from the European Animal By-Products Regulations; the basic principles are contained within **EU Regulation 1069/2009/EC** and the technical details and implementation requirements within **EU Regulation 142/2011/EU**. In the UK these European regulations are enforced through domestic regulations such as the Animal By-Products (Enforcement) (England) Regulations 2013 in England and the Animal By –Products (Enforcement) (Scotland) Regulations 2013

It is expected that the EU Animal By-Products Regulations 106g/2009 and 142/2011 will be amended from time to time, therefore members should seek the latest information from the UK Pet Food secretariat. It is also important that pet food manufacturers comply with all relevant legislation, including the requirements the Feed Hygiene Regulation 183/2005 as well as the EU legislation are enforced in England, Scotland, Wales and Northern Ireland by separate domestic legislation on the Animal Feed Regulations.

UK Pet Food members should be aware that some of the advice is based on Defra guidance applicable to England only, if a manufacturing site is located outside England, clarification should be obtained from the relevant devolved enforcement agency in the UK.

Additional documents and guidelines pertaining to the manufacture of safe pet food are also referred to where appropriate and a list of useful references can be found at the end of this document. The recommendations are intended to ensure 'best practice' and have been developed with the combined efforts of pet food manufacturers, UK Pet Food, Defra and APHA, and FSA. To aid in clear differentiation between compulsory regulatory requirements and recommendations for best practice, the following colour coding will be applied:



Information adjacent to a green bar describes regulatory "musts"



Information adjacent to a red bar describes regulatory "must nots"



Information adjacent to a yellow bar describes "recommendations"



Information in a **blue** box provides **additional points** of interest

OBJECTIVES

There are a number of objectives for these sector specific guidelines:

- ✓ Improve safety, hygiene and nutrition of raw pet food made in the UK
- ✓ Summarise sector-specific regulatory requirements for raw pet food production
- ✓ Describe recommendations to achieve 'best practice' in raw pet food production
- ✓ Improve ease of compliance with EU regulation for current and emerging raw pet food manufacturers
- ✓ Liaise with regulators and enforcement bodies (Defra, APHA, FSA, FSS, Scottish Government and local authorities) to combine expertise and develop recommendations to maintain and raise standards

SCOPE

It is intended that these guidelines should be of assistance to UK Pet Food members manufacturing raw pet food in the UK.

These guidelines are not intended to be a fully comprehensive guide to raw pet food manufacture as some sections have been summarised in order to remain accessible and manageable. Where possible, references to sources of further information will be made.

The process of raw pet food manufacture will be summarised across the following seven chapters:

- 1. Basic Regulation and Plant Approval
- 2. Plant Design and Maintenance
- 3. Sourcing Raw Materials
- 4. Handling Raw Materials
- 5. Production
- 6. HACCP and Traceability
- 7. Protecting Public and Animal Health

GLOSSARY

Additives	Feed additives are substances that are not normally consumed as feed itself but
	are added to feed intentionally for various purposes, such as preservation,
Reg (EC) 1831/2003	nutritional and sensory functions. Permitted and approved additives for use in pet
Art 17	
	food are listed in the European Union Register of Feed Additives, in accordance
	with Article 17 of Regulation (EC) No 1831/2003.
Animal by-products	Entire bodies or parts of animals, products of animal origin or other products
(ABPs)	obtained from animals, which are not intended for human consumption
Reg (EC) 1069/2009 Art 3	
APHA	Animal and Plant Health Agency – an executive agency sponsored by Defra, the
	Welsh Government and Scottish Government who work to safeguard animal and
	plant health for the benefit of people, the environment and the economy and
	regulate compliance with the Animal By-products regulations in England, Wales
	and Scotland. The equivalent authority in NI is DAERA.
Batch Number	The maximum batch size consists of one product from one line produced in one
Reg (EC) 767/2009 Art 3	day (best practice: 24-hour period) using uniform production parameters (there is
	no minimum batch size). A batch number can be numeric or alphanumeric and in
	some cases the best before date may be used if this is day specific.
Category 1 ABP	All materials which must be treated and disposed of by incineration or processed
Reg (EC) 1069/2009 Art 8	in a Category 1 processing plant. E.g. TSE suspected ABPs, SRM, carcasses of lab
neg (20) 1009/2009 / 110	and zoo animals. These materials are stained blue.
Category 2 ABP	Materials which must be either disposed of by incineration or processed in a
Reg (EC) 1069/2009 Art 9	Category 2 processing plant and the subsequent material can only be used for
	specified purposes. Such materials include animals rejected from abattoirs due to
	infectious diseases, fallen stock, or contaminated with manure, digestive tract
	content etc.
Category 3 ABP	Materials which are derived from animals slaughtered under veterinary
Reg (EC) 1069/2009 Art 10	supervision. ONLY animal materials referred to in Art 10(a) and (b)(i) and (ii) are
] -9 (-7 - 9, 9 -	permitted for use in the manufacture of raw pet food
ССР	Critical Control Point – A step in a HACCP plan at which control can be applied and
	is essential to prevent or eliminate a food safety hazard or reduce it to an
	acceptable level
Chilled	Lowering the temperature below ambient but above freezing point to aid
Reg (EC) 68/2013 Annex,	preservation. A maximum of 7°C is recommended as set out in Commission
Part B as amended by	
,	Regulation 142/2011
2017/1017	Average total quantity of feeding stuffs required daily to satisfy all the needs of an
Daily ration	
Reg (EC) 1831/2003 Art 2	individual of a given species. 'Complete' pet food must be sufficient for a daily
DEED A (D. C.)	ration for the intended species
DEFRA (Defra)	Department for Environment, Food & Rural Affairs – UK government department
	responsible for safeguarding the natural environment, supporting food and
	farming industry and sustaining the rural economy. Although Defra only works
	directly in England, it works closely with the devolved administrations in
	Wales, Scotland and Northern Ireland
FeBO	Feed Business Operator – Natural or legal persons responsible for ensuring that
Reg (EC) 183/2005 Art 3	the requirements of feed law are met within the feed business under their control
FEDIAF	The European Pet Food Industry Federation (Fédération Européene De l'industrie
	des ailments pour Animaux Familiers) – represents the pet food industry in 21
	European countries before EU institutions

FSA	Food Standards Agency - non-ministerial government department responsible for
	protecting public health in relation to food and feed in England, Wales and
	Northern Ireland.
FSS	Food Standards Scotland is the public sector food body for Scotland.
	FSS established by the Food (Scotland) Act 2015 is a non-ministerial office, part of
	the Scottish Administration, alongside, but separate from, the Scottish
	Government.
GMO	Genetically-modified organism
GMP	`Good Manufacturing Practice' – system for ensuring products are consistently
	produced and controlled according to quality standards
HACCP	Hazard Analysis and Critical Control Points is a technique that identifies, evaluates
	and controls hazards significant for feed safety
Hazard	A biological, chemical or physical agent in, or condition of, feed with the potential
1142414	to cause an adverse health effect
OPRP	Operational Prerequisite Program – A basic condition or activity necessary to
Orki	maintain a hygienic environment which has been identified by hazard analysis as
	essential in order to control the likelihood of spoilage and the introduction of feed
	·
DADAULT-	safety hazards or contamination
PARNUTs	Feedingstuffs for particular nutritional purposes. Specific criteria for authorised
Dir 2008/38/EC	PARNUTs are laid down in Commission Directive 2008/38/EC
UK Pet Food	UK Pet Food is the leading trade body for the UK pet food industry representing
	over 90% of the market to the government, media and public
Processed pet food	Pet food, other than raw pet food, which has been processed in accordance with
	Reg (EU) 142/2011 point 3 of Chapter II of Annex XIII
Product recall	The return of product from both retailers and pet owners
Product withdrawal	The return of product from retailers
Prohibited materials	Materials strictly prohibited from use in animal nutrition, e.g. faeces, sawdust and
Reg (EC) 767/2009	household waste.
Annex III	
Raw pet food	Pet food containing certain Category 3 material which has not undergone any
Reg (EU) 142/2011	preserving process other than chilling or freezing
Annex I, 21	
Safe sourcing	Using material that does not create unacceptable risks to public or animal health
Reg (EU) 1069/2009	and has been collected and transported under conditions to minimise such risks
Article 37	i.e. at appropriate temperatures and in appropriate conditions
Supplier assurance	A form of audit undertaken to ensure suppliers are able to deliver a good service
• •	and that materials consistently meet the needs of the product specification
Third country	Non-EU countries are known as third countries. The EU provides a list of approved
,	third countries and permitted establishments for importing of raw materials.
Traceability	The ability to trace a finished product or raw materials through all stages of
Reg (EC) 178/2002	sourcing, production, processing and distribution
Art 3, 15	
Undesirable substances	Undesirable substances are any substance or product, with the exception of
Dir 2002/32/EC	pathogenic agents, which is present in and/or on the product intended for animal
Art 2 (l)	feed and which represents a potential danger to animal or human health or to the
7112 (I)	l · · · · · · · · · · · · · · · · · · ·
	environment or could adversely affect livestock production. These include, for
	example, pesticides which are subject to strict limits.

1 REGULATION AND APPROVAL

1.1 MANUFACTURING FACILITY APPROVAL

Raw pet food manufacturing plants must be registered under the Feed Hygiene Regulations (EC) 183/2005 with their local authority and require approval under ABP Reg (EC) 1069/2009 from the APHA before they begin to manufacture raw pet food. Each manufacturing site requires a separate ABP approval number. Registration or approval number is required on pack.	Reg (EC) 178/2002 Art 15 & 20 Reg (EC) 183/2005 Chapter 2 Article 9 Reg (EC) 1069/2009 Chapter 1 Article 24
 1.1.1 Registration under Feed Hygiene Regulations General registration required by all Feed Business Operators (FeBOs) who make, market or use animal feed Production, distribution and storage of pet food fall within the scope of the Regulation but it does not apply to retailing of pet food Application based on activity to be undertaken on the site e.g. Manufacture of pet food Apply to register via local trading standards office (via Department of Agriculture Environment and Rural Affairs in NI) Inspection may be undertaken prior to granting registration Requirements: Described in Annex II of the Feed Hygiene Regulations and includes requirements relating to facilities and equipment, personnel, production, quality control, storage and transport and record-keeping. In addition, feed businesses are required to apply the principles of a HACCP system. 	Reg (EC) 183/2005 Chapter 2 Article 9
 1.1.2 APHA Approval Approval required to be licensed to handle category 3 animal by-products (ABPs) under the ABP Regulations Approval is very specific to the intended purpose of the site and is granted based on recognition of specific related hazards Apply to local APHA Office for inspection and approval which is a requirement (in addition to those described above): Must operate in accordance with Annex XIII of the EU Implementing Regulation 142/2011 Must have adequate facilities for storage, treating and disposing of incoming materials in such a way to prevent the introduction of further risks to public and animal health (see section 2) Send unused ABP or product to an appropriate approved ABP plant for disposal if necessary 	Reg (EU) 142/2011 Chapter VI Reg (EC) 1069/2009 Section 2 Articles 23, 24 etc.



Raw pet food manufacturing plants must be registered under the Feed Hygiene Regulations (EU) 183/2005 **and** approved by the APHA (Reg (EC) 1069/2009)



It is possible to purchase raw animal by-products for the direct feeding to pets from retail outlets at abattoirs and cutting plants that are not approved as pet food establishments. However all of the following conditions apply:

- Must be category 3 material that is fit for but not intended for human consumption
- Tripes must be cleaned, washed and free from visible contamination
- Must be unprocessed
- Must be kept separate from other category 3 material which does not fit this description and human food
- Must be for personal use only; feeding to own pets only, must not be placed on the market, cannot be used for pet food manufacture
- Must be collected by the pet owner (or a personal representative) directly from outlet
- No indirect sale or supply to pet owners through third parties (including couriers)
- The outlet business operator must keep a record of each sale (including quantity sold, purchaser's name and address) for minimum 2 years

Ref: Defra 2011, amended 2014 \rightarrow only applicable in England https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/376076 /apb-authorisations.pdf

Ref: Wales

Ref: Scotland: Competent Authorities Authorisations can be found at: http://www.gov.scot/Topics/farmingrural/Agriculture/animal-welfare/ABPs/CAA#top

2 PLANT DESIGN AND MAINTENANCE

Pet food plants and establishments or plants producing derived products must	
have adequate facilities for:	Reg (EU)
(a) storing and treating incoming material under conditions which prevent the	142/2011
introduction of risks to public and animal health;	Annex XIII
(b) disposing of unused animal by-products and derived products remaining after	Chapter I
production, unless the unused material is sent for processing or disposal another	
establishment or plant, in accordance with this Regulation.	
The following standards (2.1-2.2) cover the regulatory requirements for plant	Reg (EC)
design and maintenance laid out in the Feed Hygiene Regulations, they are	183/2005
further elaborated with additional guidance to help ensure all conditions are met	Annex II
in practical terms.	



Whilst many of the following standards (2.1-2.2) are not explicitly described in the Regulations, collectively they would ensure all the premises legal requirements of the EU legislation are met.

2.1 PLANT DESIGN

2.1.1 Location

✓ Ideally the plant should not be on premises where animals or birds are kept. If animals/birds are kept on the same premises, there must be total safe separation (i.e. fences/walls/air spaces etc) between all the pet food plant operations and the animals/birds, and also their accommodation, feed and bedding.

Reg (EC) 183/2005 Annex II

- ✓ Site boundaries should be clearly defined
- ✓ Where possible, all buildings should be surrounded by a clear space which shall be kept clean.
- ✓ Where natural drainage is inadequate, additional drainage shall be installed to avoid the risk of contamination of feed materials and pet food.

2.1.2 Utilities

- ✓ The premises must have adequate power(e.g. electricity supply), water supply, and drainage/sewerage.
- ✓ Facilities must have adequate natural and/or artificial lighting.
- ✓ All water supplies used for cleaning, or as feed material in preparation of the product, shall be potable.
- ✓ Water supply systems should be properly labelled and segregated between potable and non-potable supplies.

2.1.3 Fabric

- ✓ The fabric of the premises must be in good condition and permit satisfactory cleaning and disinfection. This includes ceilings, floors, walls and work surfaces, which should be easily cleaned.
- ✓ Floors must be designed to drain effectively. Corners and crevices should be avoided or minimised.
- ✓ Ceilings should be in good repair and designed to minimise mould growth and the accumulation of dirt, dust and condensation.
- ✓ Materials for floors, walls and work surfaces must be non-toxic, waterproof and smooth. Suitable materials for floors include smooth non-slip concrete or tiles
- ✓ Walls may be of the same materials or sheeted with rust-resistant metals or plastics.
- ✓ Suitable materials for work surfaces include stainless steel or plastics. Wood must not be used, as it cannot be satisfactorily cleaned and disinfected.
- ✓ Where windows are designed to be opened for ventilation purposes, they shall be adequately screened to prevent the ingress of pests (including insects)
- ✓ The use of glass windows close to production machinery must be avoided and wherever necessary it must be protected against breakage.

2.1.4 Layout

- ✓ The plant must be laid out to prevent contamination of finished product by incoming ABPs. This requires adequate spatial and operational separation of reception, manufacturing and storage areas.
- ✓ The systems of working shall, where appropriate, be such as to reduce any potential physical, chemical or microbiological contamination risks.
- ✓ The design must permit adequate cleaning and/or disinfection
- ✓ Where external storage is necessary, items shall be protected from contamination and deterioration.

2.1.5 Receiving Area

- ✓ ABPs must be received into a covered vermin-proof building and used for pet food manufacture without undue delay, unless suitably stored in temperature controlled areas.
- ✓ Unprocessed category 3 material for pet food production, must be used within 24 hours if not chilled or frozen.

2.1.6 Staff Hygiene Facilities

- ✓ There must be adequate hygiene facilities for plant operators and visitors, including lavatories, washing facilities, changing rooms and protective clothing.
- ✓ Smoking shall only be permitted in appropriate designated areas which must lie outside the buildings.

2.2 MAINTENANCE

2.2.1 Equipment and Maintenance

- ✓ Equipment shall be designed for the intended purpose and used so as to minimise the risk of product contamination.
- Equipment should be positioned to allow easy access for cleaning and/or disinfection, inspection and servicing.
- ✓ A system of planned maintenance shall be in place covering all items of equipment, which are critical to product safety, legality and quality.
- Every facility should develop and operate a cleaning and disinfection protocol in order to maintain product safety.

2.2.2 Treatment and Sampling

- ✓ There must be adequate equipment for producing, packaging and labelling raw pet food. All the equipment in the plant must be well maintained and fully operational.
- ✓ There must be adequate equipment to comply with the requirements for bacteriological sampling.

2.2.3 Pest Control

- ✓ There must be a documented pest control programme for birds, rodents, insects or other vermin.
- ✓ The pest control programme must be regularly reviewed for effectiveness. In the event of the presence of pests being identified the appropriate corrective actions should be identified and recorded.
- ✓ Detailed records of pest control inspections, recommendations and necessary action undertaken shall be kept.
- ✓ The location of all pest control measures shall be identified on a plan/diagram of the site.

2.2.4 Vehicle Cleaning

✓ There must be adequate facilities for cleaning vehicles and any containers used to transport ABPs.

2.2.5 Waste ABP Disposal

✓ Waste collection should take place in a well-defined area.

Reg (EC) 183/2005 Annex II

- ✓ Plants must have adequate facilities for disposing of unused ABPs remaining after production. Alternatively, this material must be sent to a processing plant or to an incineration plant.
- External waste collection containers and compactors should be closed and/or covered and emptied at appropriate frequencies in order to exclude the risk of any product contamination.
- ✓ Disposals should be fully documented and traceable.

3 SOURCING RAW MATERIALS

The sourcing of raw materials is a key step in meeting the microbiological criteria	Dir 2002/32/EC
set out in the European Animal By-Product Regulations. Key legislation for raw	Reg (EC) 1831/2003
, , , , , , , , , , , , , , , , , , , ,	
materials for use in pet food is subdivided into feed materials (ingredients from	Reg (EC)
both animal and non-animal sources), additives (such as vitamins, colourants,	767/2009
flavourings and binders), undesirable substances (contaminants subject to strict	Chapter 9 Article
control) and prohibited materials (such as wood and glass) as seen in Figure 1.	24
	Dir 2008/76/EC
	Reg (EU)
	142/2011
	Annex XIII
	Comm Decision
	2004/217/EC
Feed materials must be listed in either the Catalogue of Feed Materials (Reg (EU)	Reg (EC) 767/2009
68/2013 as amended by 2017/1017) or the Feed Materials Register . Use of the	Art 24 (6)
terms in the Catalogue is voluntary. However if a term listed is used for labelling	A11 24 (0)
· · · · · · · · · · · · · · · · · · ·	
the specification of the feed material must meet that in the Catalogue. If a	
company wishes to use a new feed material not listed in the Catalogue, providing	
they are registered under the Feed Hygiene Regulations 183/2005, they should	
enter it on the Register . Adding materials to the voluntary register is a simple on-	
line process taking a matter of seconds; log into	
http://www.feedmaterialsregister.eu and completing the relevant form, material	
name and description then submitting.	
In contrast the use of additives is very tightly controlled and approval of	Reg (EC) No.
additives is a meticulous process. The European Union Register of Feed	1831/2003
Additives is regularly updated to account for alterations, removals and additions.	




Figure 1: Summary diagram of key legislation covering raw materials used in pet food

3.1 PERMITTED ABPS FOR RAW PET FOOD MANUFACTURE

EU legislation specifies a restricted list of permitted category 3 animal by-products for use in raw pet food manufacture. Operators may **only** manufacture raw pet food from Category 3 material described in Article 10(a) and (b)(i) and (ii) of Regulation (EC) No 1069/2009.

Permitted category 3 material is described as follows:

- ✓ carcases and parts of animals slaughtered or, in the case of game, bodies or parts of animals killed, and which are fit for human consumption in accordance with Community legislation, but are not intended for human consumption for commercial reasons; carcases and the following parts originating either from animals that have been slaughtered in a slaughterhouse and were considered fit for slaughter for human consumption following an ante-mortem inspection or bodies and the following parts of animals from game killed for human consumption in accordance with Community legislation:
- carcases and the following parts originating either from animals that have been slaughtered in a slaughterhouse and were considered fit for slaughter for human consumption following an ante-mortem inspection or bodies and the following parts of animals from game killed for human consumption in accordance with Community legislation:
 - carcases or bodies and parts of animals which are rejected as unfit for human consumption in accordance with Community legislation, but which did not show any signs of disease communicable to humans or animals;
 - o heads of poultry.

Reg (EC) 1069/2009 Chapter I Article 10 (a), (b) i) and ii) Article 35 (a) (iii)

3.2 ABPS NOT PERMITTED FOR RAW PET FOOD MANUFACTURE

EU legislation also specifies a list of other animal by-products NOT permitted for	Reg (EU)
use in raw pet food manufacture.	142/2011
Manufacturers of raw pet food must not make pet food using:	Annex XIII
• category 1 or 2 ABPs	Chapter II
catering waste	
 fat from animals that passed inspection for diseases before death but 	Reg (EC)
failed inspection after death	1069/2009
 any category 3 material specified in Reg (EC) 1069/2009 Article 10 (c) 	Chapter I
through (p)	Article 10

3.3 CHOOSING ABP SUPPLIERS WITHIN EU

The ABP Regulation requires operators to carry out safe sourcing.	Reg (EC)
Safe sourcing means using material that:	1069/2009
- Does not provide unacceptable risks to public or animal health.	Chapter 2
 Has been collected and transported, or brought from the point of import, 	Articles 35(b), 37
to the plant under conditions excluding risks to public and animal health	and 38
i.e. at appropriate temperature and in appropriate conditions.	
All suppliers must be registered and approved with their respective competent	Reg (EC)
authorities and commercial documents (as described in section 4.1.5) must be	183/2005
retained for a minimum of two years.	Article 9
,	
	Reg (EC)
	1069/2009
	Chapter 1
	Article 24



When choosing ABP suppliers the legislation requires operators to practice **safe sourcing** from suppliers registered with their respective enforcement authority and retain documentation for a minimum of two years proving that requirements have been met

3.4 CHOOSING ABP SUPPLIERS OUTSIDE EU

3.4	CHOOSINGADE SUPPLIERS OUTSIDE EU	
	In addition to adhering to those requirements for EU suppliers, the following also	Reg (EC)
	applies:	1069/2009
	The import of animal by-products and derived products into the European	Chapter III
	Community and the transit of such material should take place in	Article 41
	accordance with rules which are at least as strict or recognised to be	
	equivalent to those applicable within the Community.	Reg (EU)
	 Consignments must come from a third country listed and approved by the 	142/2011
	EU. Note: non-EU countries are known as third countries.	Annex XV
	Consignments must come from establishments or plants approved or	Chapter 3
	registered by the competent authority of their country of origin and listed	
	on the official European Commission website	
	http://ec.europa.eu/food/safety/animal-by-products/approved-	
	<u>establishments en</u>	
	 Consignments must be accompanied by an officially signed veterinary 	
	health certificate. At the border inspection post (BIP) the port health	
	authority will retain this certificate and issue a veterinary clearance	

 document (CVED) which must accompany the shipment to its final destination (and be retained for a minimum of 2 years). If consignments are split with different final destinations, the official vet at the BIP will sign duplicate copies of the CVED identifying the quantity in each shipment. 	
Commission Decision 2007/275/EC lists the products that are subject to veterinary checks at import and includes products such as: • red meat and poultry and foods containing these • fish and shellfish • dairy products such as milk, butter, cheese, yoghurt • honey • composite products • animal by-products such as dog chews, meal worms, feathers • hay and straw	Decision 2007/275/EC



The legislation requires imported ABPs for raw pet food must:

- Originate from an establishment approved/registered by its own competent authority within an EU listed third country
- Be accompanied by appropriate documentation/licences
- Be imported and transported in accordance with rules at least as strict as those recognised within the EC

3.5 Non-ABPs Permitted for raw pet food manufacture

3.5.1 Non-animal derived feed materials Feed materials not of animal origin are not covered by The Animal By-products Regulations however they do fall under same Feed Hygiene Regulations and The Animal Feed Regulations as ABPs, including Reg (EC) 767/2009 on the placing on the market and use of feed Comm Reg (EU) 68/2013 on the catalogue of feed materials, as previously described in Section 3. Dir 2002/32/EC on undesirable substances in animal feed Reg (EC) 1831/2003 on additives for use in animal feed	Reg (EC) 183/2005
The use of additives in pet food is very strictly controlled. All additives permitted for use in pet food are listed in the Official Register of Feed Additives. If manufacturers wish to use an additive not listed they must first submit an application for authorisation and undergo a robust process by which they propose a tight specification along with a specific method of analysis. They must also provide research data to prove the safety and efficacy as well as evaluating any environmental effects. This proposal is then reviewed before a decision is made on the authorisation. The Official Register is updated regularly to allow for alterations, removals and additions.	Reg (EC) 1831/2003 Article 7-9 Article 17

3.6 Non-ABPs not permitted for raw pet food manufacture

3.6.1 Undesirable substances

Undesirable substances are **contaminants** of animal feed which are subject to strict limits on the levels permitted eg heavy metals. They refer to any substance or product, with the exception of pathogenic agents, present in and/or on the product intended for animal feed which presents a potential danger to human health, animal health or the environment or could adversely affect livestock production.

Dir 2002/32/EC (check latest consolidated version at <u>www.eur-</u> <u>lex.europa.eu</u>)

The council directive sets out **maximum permitted levels (MPLs)** for these substances which must not be exceeded. Feed that contains a contaminant at a level above the relevant MPL must be withdrawn and disposed of outside of the food chains. The 'blending down' of consignments with levels of contamination above the MPL, i.e. mixing them with uncontaminated consignments to reduce the overall level of contamination is prohibited.

3.6.2 Prohibited materials

The EU provide a list of strictly prohibited materials for use in animal nutrition which are in addition to those materials specifically not permitted for raw pet food. The list is as follows:

- 1. **Faeces, urine** as well as separated digestive tract content resulting from the emptying or removal of digestive tract, irrespective of any form of treatment or admixture.
- 2. **Hide** treated with tanning substances, including its waste.
- 3. **Seeds** and other plant propagating materials which, after harvest, have undergone specific treatment with plant protection products for their intended use (propagation), and any derived by-products.
- 4. **Wood, including sawdust** or other materials derived from wood, which has been treated with wood preservatives as defined in Annex V of Directive 98/8/EC concerning the placing of biocidal products on the market
- 5. **All wastes** obtained from the various phases of the urban, domestic and industrial **waste water** as defined in Article 2 of Council Directive 91/271/EEC treatment process, irrespective of any further processing of these wastes and irrespective also of the origin of the waste waters.
- 6. Solid urban waste, such as household waste.
- 7. **Packaging** from the use of products from the agri-food industry, and parts thereof.
- 8. **Protein** products obtained from **yeasts of the Candida** variety cultivated on n-alkanes.

Reg (EC) 767/2009 Annex III



- Pet food manufacturers must not produce foods with contamination of undesirable substances above the maximum permitted levels
- Pet food manufacturers must not produce food containing any of the prohibited materials described in Reg 767/2009, Annex III

3.7 CHOOSING SUPPLIERS OF NON-ANIMAL BASED MATERIALS

3.	7 CHOOSING SUPPLIERS OF NON-ANIMAL BASED MATERIALS	
	Whilst non-animal based materials are not subject to the all same regulations as ABPs, they are covered by the Animal Feed Regulations. Therefore, it still important to apply good practice and safe sourcing as described in 3.3. All suppliers must be either registered or approved as feed business operators with their local authority (depending on the specific activities carried out) in accordance with the regulations. Materials must also comply with relevant legislation, including; Dir 2002/32/EC on undesirable substances in animal feed Reg (EC) 767/2009 on the placing on the market and use of feed GM reg, pesticide regs, etc This is not an exhaustive list.	Reg (EC) 183/2005
	3.7.1 Microbiological Standards The microbiological standards for fruit and vegetables for human consumption are found in section 2.5 of regulation 1441/2007. While these same standards are not compulsory for these ingredients in pet food, they can be used as a benchmark. It should be noted that all non-animal products may also be a source of microbiological contamination, including Salmonella which has a zero tolerance in pet food containing animal based materials.	Reg (EC) 1441/2007 Chapter I and II Reg (EU) 142/2011 Annex XIII Chapter II
	 3.7.2 Undesirable substances Materials must be checked for the presence of undesirable substances including heavy metals and pesticide residues, environmental contaminants such as dioxins, mycotoxins and moulds all of which have the potential to cause harm to animal health. Heavy metals, pesticides and environmental contaminants: Maximum Permitted Levels (MPLs) are laid down in Dir 2002/32/EC. Mycotoxins: The MPL for aflatoxin B1 is laid down in Dir 2002/32/EC. Guidance values for additional mycotoxins are provided in Commission Recommendation 2006/576/EC Moulds: Materials should be clean and free from any signs of botrytis moulds. These moulds are not seriously toxic themselves but act as a good indicator of poor storage/treatment, which could raise other concerns. 	Dir 2002/32/EC Comm Rec 2006/576/EC

3.8 SUPPLIER ASSURANCE

Supplier assurance is a key part of a manufacturer's safety management system to establish confidence in a supplier's ability to consistently deliver goods or services

that will meet the needs of the manufacturer. Once the requirements of the goods or service are defined, a manufacturer can begin to identify and evaluate suppliers before selecting the most suitable. It is then necessary to develop a good supplier relationship in which there is a shared understanding of product requirements. Written specifications, as described in 3.8.1, can be very valuable in achieving this. The final step is to validate conformance and plan for ongoing monitoring of supplier performance against defined criteria, with relevant feedback to suppliers and follow the relevant corrective action procedures in the Quality Manual.

Due to the necessary risk management and legislative requirements of raw food manufacture, the use of assured suppliers is critical in sourcing safe, appropriate and authentic materials. Without a traditional kill step for microbiological pathogens, raw food is wholly reliant on the microbiological status of the raw materials used to produce a safe finished product, which is compliant with the legal microbiological criteria. Please note that using only materials intended for human consumption does not necessarily guarantee meeting the required microbiological standards for raw pet food, this is because the microbial standards for human food are different from those of raw pet food.

Reg (EU) 142/2011 Annex XIII Chapter II

Typically, ABP suppliers can view material intended for pet food as 'waste', which will be subject to further heat processing to ensure microbial safety. However, this is not the case with raw pet food and suppliers should be made aware of the difference and how this impacts on necessary hygiene controls during handling and storage.

It is recommended to engage in supplier assurance through a number of means, for example:

- Using raw material specification forms
- Regular inspections and audits of supplier premises and materials
- Planned monitoring and review of suppliers against defined approval criteria eg internal microbiological testing
- Good supplier communications with regular feedback and agreed actions in the event of non-conformance
- Use of external assurance schemes eg Soil Association for organic produce



It is advised raw pet food manufacturers utilise **raw material specification** forms to notify suppliers of the intention to make raw pet food. These should outline any additional hygiene, storage and transportation requirements to maintain appropriate microbiological standards, such as zero tolerance to Salmonella.

3.8.1 Written specifications

Written specifications can be produced for each feed material, additive and packaging material, and must be regularly updated. They should include the following information:

- Nutritional and analytical characteristics of the feed material
- Microbiological status eg negative for all Salmonella spp.
- Approved origins and sources
- Details of any processing the material has undergone
- Types of feedstuffs in which its use is approved
- Notes on any hazards
- Limitations on its use
- Special characteristics

These specifications should then be agreed in writing with each supplier and appropriate actions can be jointly approved in the event of failure to meet the relevant specification.

4. HANDLING RAW MATERIALS

4.1 TRANSPORTING ABPS

 4.1.1 Registration Registration with the Animal and Plant Health Agency (APHA) is required to transport ABPs, unless: the livestock keeper is transporting carcasses of animals they own the transport is owned by a site that's already approved or registered 	Reg (EU) 142/2011 Chapter VI Reg (EC) 1069/2009 Chapter II Article 23
4.1.2 Using sub-contractors If sub-contractors are used, they must be registered with APHA before they begin hauling ABPs and are required to maintain records of all shipments for a minimum of 2 years.	Reg (EU) 142/2011 Chapter VI
 4.1.3 Temperature for transporting ABPs Temperatures shall be kept as low as possible to avoid condensation and spoilage ABPs from meat and meat products that are to be turned into raw pet food should be transported at a maximum permitted temperature of 7°C, UK Pet Food members are recommended to use a lower temperature of the order of 5°C or less. Unprocessed Category 3 ABPs which are to be processed into feed or pet food must be stored and transported in a chilled state, or frozen, or ensiled unless: they are to be processed within 24 hours of the collection the ABPs were chilled or frozen 	Reg (EC) 183/2005 Annex II Reg (EU) 142/2011 Annex VIII Chapter I

The design of vehicles used for refrigerated transport must ensure the maintenance of an appropriate temperature throughout transport, and allow that temperature to be monitored. **Removing Health Marks** 4.1.4 Reg (EC) Periodically manufacturers purchase meats which were originally intended for 1069/2009 human consumption but for a variety of reasons are no longer required for this Art.10(f) & (q) purpose. Immediately these materials are no longer intended for human consumption their status is downgraded to Category 3 ABP. Thus, it is imperative that the veterinary health marks are defaced/removed at the earliest opportunity. Ideally this should be done at the point of loading the material for shipping to the pet food facility or its associated cold stores. Failing this the health marks should be defaced/removed at the point of unloading the shipment. Under no circumstances whatsoever should meats with intact health marks be found in any pet food facility or its associated cold stores. These former human meat materials should always be accompanied by the correct ABP documentation during transit. Vehicle hygiene 4.1.5 Reg (EC) When transporting ABPs or any ABP derived products, the following rules apply: 183/2005 vehicles and/or containers must be covered and leak-proof Annex II vehicles and containers must be cleaned, disinfected, and dried before and after every use Reg (EU) different categories of ABPs must be kept in separate containers and 142/2011 separate parts of the vehicle Annex VIII animal protein must only be moved in a vehicle designed for that Chapter 1, purpose alone Section 1. 4.1.6 Documentation Reg (EU) In order to move a consignment of ABPs or derived products, a commercial 142/2011 Annex document is required. A template commercial document is provided in Annex 1 VIII Chapter III and a summary of documentation requirements for ABP movement in Annex 2. The commercial document must list: a detailed description of the contents, including category and quantity the date of transport an address of origin and destination, and contact names at both ABP approval or ABP registration numbers for the factory or vehicle the signature of whoever is responsible for the contents A copy of the commercial document should be kept for at least 2 years for presentation to the competent authority The commercial document is a minimum three-part document: **Part 1** – retained by supplier Part 2 – retained by carrier Part 3 – retained by recipient (Part 4 (optional) – recipient returns to original shipper in confirmation of receipt)

A record of any consignments of ABPs or derived products that enter or exit the premises must also be kept for a minimum of 2 years. This can be done using commercial documents or a logbook – the following must be recorded: the date the consignment is sent or received a description of the material sent or received, including its category the weight, volume and quantity of the material the origin or destination of the material Labelling ABP materials or containers Reg (EU) All raw materials (feed materials) should be labelled in compliance with regulation 142/2011 767/2009 Article 16 (Feed Materials). In addition raw materials which are subject to Annex VIII the ABP regulations should be labelled in compliance with regulation 142/2011 Chapter III Annex VIII Chapter III In transit the ABP documentation must include the following details: weight number of containers, with estimates of their average weight number, for example '85 tripes' volume, for example '20,000 litres of bovine blood' Vehicles, containers, or packaging must also have a label attached that describes the ABP category of the contents, and must use the following wordings: category 1 material - Yor disposal only' category 2 material - 'not for animal consumption' category 3 material - 'not for human consumption' 4.1.8 Finished product Reg (EU) During transport and storage of raw pet food, the packaging, container or vehicle 142/2011 must have a label attached which visibly and legibly states "as pet food only". Annex VIII

Chapter II

2.(b)(vii)

4.2 DELIVERIES OF ABPS

Upon arrival utilise an acceptance procedure whereby specification of raw materials, temperature, packaging and additives are checked. Keep a monitor of traceability, compliance with specifications and registered/approved suppliers. Ensure records of deliveries are kept and maintained.

Damaged, infected or dirty transports/containers should be rejected along with the materials shipped in them.

However, compound feeds (defined as a mixture of at least two feed materials,

which are packaged and placed on the market as feed (in accordance with Art 4 of

with or without feed additives) manufactured from ABPs or derived products,

Reg (EC) No. 767/2009) are not required to be labelled in this way.

4.3 STORING ABPS

•		
	Raw pet food producers must only store Cat 3 ABP.	
	To note: only certain category 3 materials may be used for raw pet food	Reg (EU)
	, , , , , , , , , , , , , , , , , , , ,	142/2011
	If a raw pet food producer is also authorised by the APHA as a category 2 material processing establishment specific rules must be followed. In such a situation it is a	Annex IX
	regulatory requirement that category 2 and category 3 ABP materials are stored	

and processed completely separately in order to avoid any possibility of cross contamination. The separation should be achieved by using separate buildings for the two different categories and operations, but the minimum should be floor to ceiling walls, completely separate air space, different operators, changing facilities, cleaning and maintenance equipment etc. Any cross contamination of Cat 3 material with Cat 2 material automatically leads the whole being reclassified as Cat 2.

Ensure materials are used in the correct order and within the allocated shelf life according to:

- F.I.F.O (First In First Out) or
- F.E.F.O (First Expiring First Out)

ABPs should be stored frozen whenever possible to limit microbiological growth and spoilage.

4.4 DISPOSING OF UNUSED/UNWANTED ABPS

Methods for disposing of ABPs is dependent on the ABP category the material is assigned to. For category 3 ABP the following methods are allowed for disposal and use:

- incineration or co-incineration
- rendering them safe and sending to **landfill** after they've been heat treated in line with the ABP Regs

For all other possibilities manufacturers are recommended to consult their enforcement authority and the ABP regulations

A full audit trail of material being disposed of must be maintained for traceability

Reg (EC) 1069/2009 Chapter II Article 14

4.5 CLEANING YOUR SITE AND VEHICLES

The site and any containers or vehicles used for storing or transporting ABPs must	Reg (EU)
be cleaned and disinfected.	142/2011
There must be:	Annex VIII
 a cleaning plan for all areas of the site made and enforced 	Chapter I
 regularly inspections of the site and all equipment to ensure they're clean, 	
with the results recorded	Reg (EC)
 a waste-water disposal system 	183/2005
 full disinfection of vehicles, including the wheels, before they enter clean 	Annex II
areas of the site	
 no contamination of finished products by splashes or run-off 	Reg (EC)
 a pest control programmeto protect against insects, rats, birds, and other 	1069/2009
pests	Article 25

4.6 HANDLING NON-ANIMAL BASED MATERIALS

For non-animal based materials, such as fruit, vegetables and cereals, sensible and	Reg (EC)
practical precautions should be taken during transport, delivery, storage, disposal	183/2005
and importation to ensure feed hygiene. The following (4.6.1-4.6.5) are	Annex I
safeguards to take to ensure both animal and public health remain protected at all	
levels.	

4.6.1 Transporting non-animal based materials Due consideration should be given to hygiene and temperature control during transport to minimise the microbiological risk.	
4.6.2 Deliveries of non-animal based materials Upon arrival utilise an acceptance procedure whereby specification of raw materials, packaging and additives are checked. Keep a monitor of traceability, compliance with specifications and registered/approved suppliers. Ensure records of deliveries are kept and maintained. Damaged, infested or dirty transports/containers should be rejected along with the materials shipped in them.	
4.6.3 Storing non-animal based materials It is recommended to store non-animal based materials separate from ABPs until ready for processing to avoid any cross contamination of materials. For perishable non-animal based materials storage should be chilled or frozen to ensure viability and limit microbiological growth and spoilage.	
4.6.4 Disposing non-animal based materials Non-animal based materials should be disposed of responsibly. If they have been stored alongside ABPs or allowed to mix, they should be disposed of as the most high risk material as per ABPs described in section 4.5 and must not be allowed to enter the human food chain.	
4.6.5 Importing non-animal based materials When importing non-animal based materials from outside the EU the relevant legislation must be adhered to and safe sourcing should always apply (as described in section 3.3)	Reg (EC) 183/2005 Article 23



Non-animal based materials require the same level of care in sourcing, handling and ensuring hygiene as ABPs, since these materials can also introduce a range of hazards such as pathogenic bacteria, moulds or even pesticides.

5 PRODUCTION

5.1 PERSONNEL

5.1.1 Training Pet food manufacturers shall ensure that all employees are adequately trained, instructed and supervised, commensurate with their activity. Such training should also include the microbiological risks associated with the materials and products being handled	Reg (EC) 183/2005 Annex II
All staff must be informed clearly in writing of their duties, responsibilities and powers, especially when any change is made, in such a way as to obtain the desired product quality.	

5.1.2 Personal Hygiene Personal hygiene standards should be documented and adopted by all personnel, contractors and visitors to the factory. These standards shall be designed with due regard to the risk of product contamination in addition to the risks to personnel from the materials/products being handled.	Refer to FEDIAF Guide to Good Practice
5.1.3 Protective Clothing Pet food handlers, visitors and contractors working in, or entering the pet foodhandling areas, shall wear suitable issued protective clothing.	Refer to FEDIAF Guide to Good Practice

5.2 PRODUCTION REQUIREMENTS

5.2.1 Responsibilities Responsibilities for production procedures are clear with a nominated employee responsible for production quality. Production stages are documented and measures are taken to ensure hygiene and safety.	Reg (EC) 183/2005 Annex II
5.2.2 Procedures to control GMOs Procedures to be put in place to control GMOs. Authorised GMOs may be used and should be labelled appropriately. In case of GMO contamination of non-GMO products, cleaning is obligatory.	Reg (EC) 1829/2003 Reg (EC) 1830/2003
5.2.3 Weighing Equipment Weighing equipment must be accurate. Use of appropriate devices with regular calibration and maintenance programmes.	Reg (EC) 183/2005 Annex II
5.2.4 Mixing of Feed Materials Homogeneous mixing is essential and should be verified. Mixers are clean, appropriate and maintained, and operate for a pre-set time. Mixing efficiency is regularly checked for minor and major ingredients. Process and control measures should prevent the possibility of any cross contamination and carry-over of undesirable substances.	Reg (EC) 183/2005 Annex II

	1
5.2.5 Quality control plan Designate a qualified person responsible for quality control. Establish a Quality Control Plan (QCP) in writing, identify CCPs and OPRPs (refer to Annex 3 for guidance), manage modifications and implement. Analytical testing for shelf life, chemical factors etc. Use of external accredited laboratories.	Reg (EC) 183/2005 Annex II
 5.2.6 Packaging Raw pet food must be packaged in new, clean, leak-proof packaging. Packaging shall be assessed as a potential hazard and as an effective barrier in the HACCP plan. 	Reg (EU) 142/2011 Annex XIII Chapter 2
5.2.7 Temperature control Should be recorded as critical to product safety, implement alarm systems for monitoring and ensure hygienic conditions are maintained during processing and storage.	
5.2.8 Foreign body detection Identify, eliminate or minimise foreign body contamination: determine CCPs and OPRPs, install detectors where necessary, such as metal detectors. If the metal detectors in use are only sensitive to ferrous metals then it is recommended that additional visual control measures are used to detect lead shot, stainless steel and other foreign bodies. The appropriate corrective actions should be followed after detection of such materials.	
5.2.9 Product release Pet food released by authorised personnel only. Structured release procedure for each batch.	
5.2.10 Non-conformance Out-of-specification products must be identified, labelled and quarantined followed by relevant corrective actions.	
5.2.11 Quantity control Quantity checks to conform to EU law, equipment should be regularly calibrated.	
5.2.12 Calibration All equipment and process monitoring instruments should undergo regular calibration with records documented and it is recommended that documents relating to materials are kept by the manufacturer in order to ensure traceability for 2 years.	
5.2.13 Handling and distribution of finished product Due consideration should be given to ensure any frozen finished product is always kept between appropriate temperature restrictions to prevent freeze/thaw cycles, which could encourage microbiological growth and spoilage affecting both safety and quality of the product. This could be achieved through temperature controlled vehicles or specialist insulating leak proof packaging material. All transit methods should be tried and tested in the field during a range of weather conditions.	
In order to reinforce the importance of temperature controls post factory gate (when the product is held by distributors, stockists or the end user), recommendations to keep product frozen and appropriate handling instructions can be placed on invoices or external packaging/cartons/pallets.	

5.3 LABELLING

5.3.1 Mandatory labelling requirements

The mandatory information required by law to appear on a pet food label must be **legible** and **indelible**. Manufacturers are reminded that it is a legal requirement to label all products in compliance with the regulations, including a Best Before Date.

Reg (EC) 767/2009

The FEDIAF Code of Good Labelling Practice for Pet Food provides a very useful resource for interpreting the legal labelling requirements with examples and further guidance.

FEDIAF Labelling Code

5.3.2 Additional retailer and consumer advice

Due to the microbiological nature of raw pet food and the related risks, it is recommended to include additional guidance on **hygiene**, handling and storage, including a recommendation to use the product within certain time limits once defrosted, in order to protect **public health**. This guidance should be visible directly on-pack and be addressed in off-pack communications, such as on websites or marketing materials.

Guidance should be clear and easy to understand using appropriate language and/or imagery. The following areas should all be addressed; examples are provided:

 Hygiene and handling – emphasize raw nature of the product and appropriate hygiene measures to prevent cross-contamination between raw pet food, food, surfaces and equipment

"This product contains raw meat - use appropriate hygiene measures when handling and storing"

"Handle in the same way that you would any raw meat product at home but using a separate preparation area"

"Clean and disinfect surfaces and equipment before and after preparing raw pet food"
"Always wash your hands thoroughly before and after preparing raw pet food"

- 2. **Storage** advise on suitable locations and temperatures
 "Keep frozen until ready to use, only defrost required amount"
 "Once defrosted, always store at the bottom of the fridge"
 "Store separately from human food"
- 3. **Thawing and serving** advise on appropriate methods of thawing to prevent loss of thaw juice and the resulting loss of key essential water soluble nutrients. "Thaw in pet's bowl or a sealed container before serving" "Do not discard thaw juice"

"Discard any uneaten raw pet food as soon as reasonably practical"



Taurine – currently the quoted safe minimum levels for Taurine in cats are based on dry extruded or canned wet food formats. The referenced evidence for this (Hickman et al 1990) determines frozen preserved raw formulations were able to maintain normal plasma taurine concentrations at lower levels than for heat processed diets. Therefore, the application of the lower reference level (for dry foods) will ensure sufficient taurine is present in a frozen raw food providing thaw juice is not discarded. Discarding the thaw juice could lead to a taurine deficiency.

5.4 PRODUCT FORMULATION

A HACCP study shall be undertaken during the design/development phase of the product, packaging and process to identify and assess all potential safety hazards and ability to manufacture according to designed formulae	Reg (EC) 183/2005 Article 6
 Shelf-life shall be established, validated and recorded. The presence of the following shall be monitored and appropriate control strategies to minimise the risk in compliance with the respective regulations: Prohibited feed materials 	Directive 2002/32/EC
 Undesirable substances (including residues of veterinary products) Prohibited substances Pathogens, specifically Salmonella and Enterobacteriaceae Unauthorised quantities of permitted additives 	Reg (EC) 1831/2003
 When formulating a raw pet food, it is advised to refer to the FEDIAF Nutritional Guidelines for the known safe limits for macro- and micronutrients in cats and dogs. This document also comprises a wealth of additional guidance in pet food formulation such as feeding test protocols and energy calculations, and is widely recognised across Europe as a standard for complete pet food. Manufacturers may undertake trials or testing to verify if product formulation and manufacturing processes are capable of producing a nutritionally well balanced, safe and legal pet food. 	FEDIAF Nutritional Guidelines (Product validation)

5.5 **N**UTRITIONAL ANALYSIS

Nutritional analysis is required by law to provide the analytical constituents labelled on pack. However, more in depth analysis is recommended to ensure the formulations are appropriate and safe as well as being able to meet all the nutritional requirements of the pet if the product is declared to be 'complete'.

With minimal treatment involved in raw pet food manufacture, compared to other techniques, there should also be some consideration given to the significant variability of raw materials and how these can be minimised as well as ensuring the quoted analysis is representative of the average composition.

6 HACCP AND QUALITY MANAGEMENT

6.1 QUALITY MANAGEMENT SYSTEM

6.1.1 Pet food safety policy and Quality management manual Manufacturers shall have a defined and documented pet food safety policy stating the intention to meet its obligations to produce safe and legal products. Manufacturers shall also have a quality management manual stating their commitment to quality and outlining working methods and practices employed to meet those requirements.	Reg (EC) 183/2005 Annex II
6.1.2 Organisational structure and management review Manufacturers shall have an organisational structure reflective of all the required tasks and detailing personal responsibility and reporting. Directors shall provide adequate resources and investment to ensure product safety, legality and quality. Senior management shall review the system at planned intervals to ensure its continuing adequacy and effectiveness. This should include planned internal audits and verification.	Reg (EC) 183/2005 Annex II
 6.1.3 Specifications Manufacturers shall ensure appropriate specifications exist for: Feed materials Packaging materials Processing Finished products Transport and warehouse Specifications shall be adequate, accurate, and ensure compliance with relevant safety and legislative requirements. 	FEDIAF Guide to Good Practice
6.1.4 Corrective and preventative actions When necessary, manufacturers shall investigate causes of significant nonconformity with standards, specifications and procedures, which are relevant to pet food safety, legality and quality.	FEDIAF Guide to Good Practice
6.1.5 Customer satisfaction Manufacturers shall monitor information relating to customer perception and whether expectation with regard to product safety and quality have been met. The company shall clearly identify those individuals responsible for communication with customers and shall have an effective system for dealing with complaints.	FEDIAF Guide to Good Practice Reg (EC) 183/2005 Annex II
6.1.6 Internal communication In order to maintain the effectiveness of the quality and safety management system, the manufacturer shall ensure the pet food safety team are informed in a timely manner of any relevant changes e.g. new products, complaints indicating a hazard.	FEDIAF Guide to Good Practice
6.1.7 External Communication Manufacturers shall have a procedure in place to inform stakeholders both up and down the pet food chain, customers APHA, Local Trading Standards and the FSA in case of serious animal or public health hazards related to the product.	Reg (EC) 183/2005 Annex II

6.2 HACCP REQUIREMENTS

Manufacturers shall put in place, implement and maintain a permanent written procedure based on HACCP principles to ensure pet food safety. Reg (EC) The 7 Codex **HACCP principles** are: 183/2005 Chapter II 1. Conduct a hazard analysis 2. Determine the Critical Control Points (CCPs) and Operational Prerequisite Article 6 Programs (OPRP) Reg (EC) 3. Establish the Critical Limits 1069/2009 4. Establish a system to monitor control of the CCP and the OPRP Article 29 5. Establish the corrective action to be taken when monitoring indicates that a CCP is not under control 6. Establish procedures of verification to confirm that a HACCP System is working effectively 7. Establish documentation concerning all procedures and records



A thorough HACCP plan is a crucial component in the manufacture of responsible raw pet food. A significant amount of time should be spent designing an appropriate plan and ensuring it is implemented effectively.

6.3 RISK ASSESSMENT AND HAZARD ANALYSIS OF RAW PET FOOD

appropriate to these principle and their applications.

Risk assessment and hazard analysis forms a crucial and compulsory step in identifying potential risks and necessary and appropriate control measures. The relative occurrence and severity of each hazard should be quantified where possible.

Reg (EC) 183/2005 Chapter II Article 6

Micro-organisms, toxins, chemicals and physical agents should all be considered as well as the conditions that could lead to or exacerbate their presence.

The potential for biological hazards in raw pet food compared to extruded dry or canned pet food is significantly different. Therefore, those hazards that could pose a risk as foodborne pathogens to both animal and humans are discussed in more detail in section 7. Please refer to Annex 4 for an example of some hazards and their control methods.

6.4 TRACEABILITY

Traceability shall be the **responsibility of each operator** of the entire pet food chain ("from farm to feeding bowl"). Manufacturers shall identify all materials used in the pet food production (feed materials, additives and packaging), including the finished product and be able to trace (in both directions and in a timely manner) what occurred in all phases of production up to the distribution to the customer. **Downstream traceability** for pet food produced and delivered, and **upstream traceability** for raw materials used.

Reg (EC) 183/2005 Annex II

Key objectives of traceability:

- ✓ To protect animal and human health
- ✓ To enable efficient withdrawal or recall of products
- ✓ To provide information on quality problems
- ✓ To comply with EU legislation

 6.4.1 Key Requirements Manufacturers must work with an adequate system of documentation to ensure traceability Records should be kept at least two years and samples until end of "commercial life" Relevant traceability objectives shall be defined for each stage of production, processing and distribution Traceability in case of co-packed products should be guaranteed The system shall be regularly reviewed and tested in order to assess whether its objective are met. 	Reg (EC) 183/2005 Annex II
6.4.2 Product Identification Manufacturers shall identify each individual sales unit to ensure traceability of the batch. Documented procedures for identifying materials shall be established and maintained, from reception through production to finished products.	Reg (EC) 183/2005 Annex II
6.4.3 Product Recall and Product Withdrawal Manufacturers shall have an effective product recall and withdrawal procedure for all products in the distribution network. Speed and accuracy of information are essential components of a successful recall and good communication is required at all levels, from the competent authorities to the general public. Should a manufacturer consider or have a reason to believe that a product which he has imported, produced, manufactured or distributed does not satisfy the feed safety requirements, he shall immediately initiate procedures to withdraw the product in question from the market. In the case of a serious risk to human or animal health or to the environment, the manufacturer must inform and collaborate with the Competent Authorities (this includes Trading Standards,	Reg (EC) 183/2005 Annex II
APHA and the FSA/FSS) to initiate a full recall. Please refer to Annex 5 for the general steps in a product recall. Procedures shall be regularly tested with audit trails and revised where needed to ensure effective operation. It is advisable to have a draft prepared statement in	
the event of a recall, which can be adapted to the details of the situation. This statement should clearly identify the product involved in the recall with details of batch numbers, explain the reason the product is thought to be unsafe and provide consumers with instructions on how to proceed if they have purchased or used an affected product, including contact details for further information. Staff members responsible for managing a recall should be clearly identified and receive sufficient training to enable them to manage the task proficiently.	
Following a product recall it is the responsibility of the manufacturer to launch a full investigation into the probable cause to understand the steps that led to the production and distribution of an unsafe product, and then identify methods to implement in the future to prevent such events recurring. APHA should be kept informed of such investigations	

7 PROTECTING PUBLIC AND ANIMAL HEALTH

7.1 MANAGING RISK

Due to the very nature of raw pet food, the risks posed to both public and animal health must be seriously considered and action taken to apply the legislation and ensure that only feed is placed on the market and used that is safe and does not have a direct effect on the environment or animal health. These risks are primarily biological hazards which have a potential to become significant food-borne pathogens as a direct result of the public handling the product or the pet consuming it.

The current **EU legislation** addresses some of the risks **specific** to rawpet food in the following ways:

- Restricted list of raw materials approved for use
- Microbiological testing requirements i.e. zero tolerance to Salmonella, max limits for Enterobacteriaceae
- Packaging requirements i.e. new, clean and leak-proof

However, in order to achieve **best practice** in raw pet food manufacture it is necessary to consider additional ways to further minimise the variety of risks specific to the raw nature of the pet food eg transport and storage.

Reg (EU) 142/2011 Annex XIII

7.2 RISK ASSESSMENT FOR RAW PET FOOD – BIOLOGICAL HAZARDS

7.2.1 Bacterial pathogens

Salmonella is a bacterial foodborne pathogen, which has been on a steady decline as a result of a co-ordinated effort amongst food producers and the government. A survey by the FSA undertaken in 2008 found a consistently low prevalence of around 5-6% in fresh chicken at retail in the human food chain.

Meldrum, et al, 2005 FSA, 2008

Salmonella can also be isolated from the faeces of around o-4% of healthy, clinically normal dogs (Lowden, et al, 2015) and is described as an uncommon cause of diarrhoea in dogs, often only seen in the face of an impaired immune system (Merck Veterinary Manual, 2010). *Salmonella* can however cause illness in humans if contaminated products are consumed or via secondary transfer from contact with contaminated surfaces e.g. kitchen surfaces or dog bowls.

Lowden, et al, 2015 Merck Veterinary Manual, 2010

EU legislation demands a **zero tolerance** for *Salmonella* in raw pet food and testing requirements are described in section 7.3 as well as recommended actions in response to a test failure (product cannot be placed on the market if there is presence of *Salmonella* in 25g sample).

Control of this organism should be based on prevention of contamination with hygienic handling and storage, in addition to careful sourcing of materials from the restricted list permitted for use in raw pet food.

Campylobacter is also very commonly isolated from the faeces of clinically normal dogs and cats. In a Danish study nearly 100% of dogs were carriers (Hald, et al, 2004) but the prevalence is more often quoted around 50-60% for both dogs and cats (Chaban, et al. 2010; Engvall, et al, 2003; Queen, et al, 2012). However, it is important to note that the strain typically cultured is far more commonly C.upsaliensis and not C.jejuni which is the common culprit in human Campylobacteriosis. Control should also be focused on careful sourcing. There is no legal requirement to test for Campylobacter and end-product testing is unlikely to herald any meaningful results given the frozen nature of most raw pet food.

Hald, et al, 2004; Chaban, et al. 2010; Engvall, et al, 2003; Queen, et al, 2012

E.coli belongs to a family of bacteria known as Enterobacteriaceae, which are ubiquitous in nature and many are present in the mammalian intestinal tract as commensal flora. Current testing requirements for Enterobacteriaceae are described in section 7.3.

Listeria monocytogenes is another potential bacterial foodborne pathogen but it is also known to be carried asymptomatically by healthy humans, animals and birds. Studies have reported Listeria spp. to be present in 1-2% of healthy dogs (Lida, et al., 1991; weber, et al., 1995) and illness is uncommon but there are isolated case reports in the literature. Control should be focused on safe sourcing and hygienic handling along with guidance (as used in human food) to raise public awareness of appropriate food hygiene rules.

7.2.2 Bacterial spoilage organisms

Whilst not all bacteria pose an acute disease some can lead to significant degradation of the food and risk inadequate nutrition for the pet and so still warrant adequate control measures. The most important of which being a reliable and consistent cold chain throughout transport, production and storage as chilled and freezing temperature will halt or significantly slow the multiplication of nearly all foodborne bacteria.

7.2.3 Viral pathogens

A report from WHO recommends an increased awareness of viral foodborne risks and advises its inclusion into HACCP plans.

Norovirus and Hepatitis A Virus are currently recognised as the most important foodborne viral pathogens in the Western world (Koopmans & Duizer, 2004). Human Norovirus has been shown to survive in the gastrointestinal tract of dogs without causing any symptoms (Summa, et al. 2012) suggesting a potential new route of infection. Therefore control measures to prevent contamination such as prevention of staff suffering from acute gastrointestinal symptoms from entering the production site should be considered.

There is also an emerging foodborne viral risk of **Hepatitis E Virus**. A seroprevalence for Hepatitis E virus of >92% was recently reported in UK pig abattoirs (Defra, 2014), therefore of particular interest for manufacturers using pork raw material.

FAO/WHO, 2008

(Koopmans & Duizer, 2004) (Summa, et al. 2012)

Defra, 2014



Viruses are inherently very different to bacteria, often hardy in the environment and resistant to processing, therefore tailored control measures are required. Viruses will not replicate in food so do not pose a spoilage risk but have a very low infective dose and so control must focus on prevention of contamination. Food handler transmission and contaminated watersources are both known risk factors for foodborne viral pathogens (Bidawid, et al., 2000 and Bidawid, et al., 2004).

7.2.4 Protozoal pathogens

Toxoplasma gondii, Sarcocystis and Neospora are all notable coccidial protozoa capable of causing infection via the consumption of various raw animal based materials. Toxoplasma can affect a wide range of livestock, most commonly sheep, pigs and wild game as well as pets, most notably cats. It is estimated that 350,000 people become infected with toxoplasma each year in the UK (FSA, 2012) with 10-20% of those showing symptoms. Sarcocystis is a particular concern in raw lamb, it does not always cause symptoms in the livestock but the link between infected dogs and sheep (from eating faeces) is compelling. Neospora is one of the most common causes of abortion in UK cattle (APHA, 2013) and can lead to inflammatory myopathies in dogs (Podell, 2002) but current evidence suggests it does not cause disease in humans.

FSA, 2012

APHA, 2013 Podell, 2002

All three of these key protozoa have been shown to be rendered non-infective by freezing protocols as shown in the table in Annex 6.

7.2.5 Parasitic pathogens

Carcases demonstrating a particularly heavy burden of parasites will not be passed fit for human consumption and the by-products cannot then go on to be re-categorised as category 3 and used in raw pet food manufacture. However, carcases with only a minor parasitic burden could be passed and go on to present a risk to animal and public health as consumption over time may lead to a greater risk of exposure to some internal parasites. Therefore, it is important to ensure a pet's worming schedule is kept up to date. It would be possible to institute a freezing protocol to manage this risk as discussed in 7.3.4 as the following key parasites are all susceptible to freezing for specific time periods (refer to Annex 6):

FSA Manual of Official Controls Amendment 72 Chapter 2.4

Parasite		Source of infection	
Cestodes	Taenia spp.	Raw beef, lamb and pork	
(tapeworms)			
	Echinococcus	Raw beef, lamb, pork and goat	
	(Hydatid cysts)		
Nematodes	Toxocara spp.	Raw rabbit, pork, goat, rodents etc.	
(roundworms)		(i.e. any paratenic hosts)	
Trematodes	Neorickettsia	Raw Salmon	
(flukes)	helminthoeca	(Sourced from USA, Canada, British	
		Columbia and Brazil)	



Rumen fluke (Paramphistomes) – The consumption of raw tripe infected with rumen fluke does **not** directly pose a risk to animal or human health. Owing to the lifecycle of the fluke, the only infective stage is that of the metacercaria which are released from snails onto the grass and consumed by the mammalian host before developing into the larval stage found in the rumen. Therefore consumption of the metacercaria or an infected snail is required to acquire an active infection. However, it is still not recommended to use such product due to quality concerns and undesirable appearance to the customer.

7.2.6 Prions

The risk to public health posed by prions, such as BSE and Scrapie, is addressed through the TSE regulations (Reg (EC) 999/2001) and the removal of the specified risk materials (SRM) from animal by-products. Therefore, risk is minimal as long as materials are sourced appropriately from abattoirs following the regulatory requirements.

Reg (EC) 999/2001

7.3 MICROBIOLOGICAL ANALYSIS

Regulation requires samples of pet food finished product must be sent to an ISO 17025 accredited laboratory to be tested for bacteria.

7.3.1 Finding a laboratory

Samples must be sent to a laboratory accredited by the United Kingdom Accreditation Service (UKAS).

The UKAS website provides details for laboratories accredited to carry out a specific test, or a group of tests.

Those laboratories are accredited on a test-by-test basis so it may be necessary to send samples to more than one laboratory in order to test for more than one type of bacteria.

Defra also lists some UKAS accredited laboratories approved for ABP testing. https://www.gov.uk/government/publications/animal-by-product-testing-laboratories-in-the-uk

Reg (EU) 142/2011 Annex XIII Chapter II

7.3.2 Undertaking testing

Sampling should be carried out in line with a site specific APHA agreement. For guidance refer to Annex 7 for sampling guidance. Manufacturers are also encouraged to submit a draft sampling protocol as part of their HACCP plan, this may take the following form:

Product Line	TRIPE	BEEF		CHICKEN	
Product Type	Tripe mince	Beef	Beef	Chicken	Chicken
		mince	chunks	mince	chunks
Weekı	Χ	X		X	
Week 2	X		Χ		X
Week 3	Χ	X		X	
Week 4	X		Х		X

7-3.3 Interpreting results The laboratory divides the sample into 5 sub-samples and gives a result for each sub-sample using the notation: bacteria name and bacterial count (x per y grams). Where bacteria name is the name of the bacteria tested for (eg Salmonella), and x is the number of colonies of that bacteria counted in y grams of the sub-sample. Instead of giving a number the laboratory may also report the result for a sub-sample as: 'non-detected' or '<10cfu/g' This means the laboratory wasn't able to detect any bacterial colonies in that sub-sample.	Reg (EU) 142/2011 Annex XIII Chapter II	
7.3.3.1 Salmonella The sample will fail if any sub-sample contains any Salmonella colonies		
 7.3.3.2 Enterobacteriaceae¹ The sample will fail if: any of the sub-samples contains more than 5,000 Enterobacteriaceae colonies per gram 3 or more sub-samples contain more than 10 Enterobacteriaceae colonies per gram 		
	Reg (EU) 142/2011 Annex XIII Chapter II	
 7.3.4 Actions following a test failure ✓ Raw pet food that does not fulfil the provisions regarding microbiological criteria cannot be placed on the market as they are not compliant with the regulation ✓ If one sample fails a test the local APHA and Trading Standards office must be notified immediately. Any failed test must be recorded, and actions taken as a result. ✓ The cause of the failed test will need to be investigated and the APHA must be provided with an explanation of how the problem will be fixed. (Refer to Annex 8 for a proposed standard checklist of actions to take in response to a test failure) ✓ APHA will then need to agree that the proposed solution addresses the problem. ✓ Testing will be increased to weekly intervals until four consecutive clear results are achieved in the affected product. 	142/2011 Annex XIII	

 $^{^{1}}$ **NOTE:** A vote is expected in 2017 on the Enterobacteriaceae test to be used as a **process hygiene criterion**. Until the publication and coming into force of any amendments products must comply with the provisions currently in force.

REFERENCES

LEGISLATION

- REGULATION (EC) No 1069/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
 of 21 October 2009 laying down health rules as regards animal by-products and derived products
 not intended for human consumption and repealing Regulation (EC) No 1774/2002 (Animal byproducts Regulation)
- COMMISSION REGULATION (EU) No 142/2011 of 25 February 2011 implementing Regulation (EC) No 1069/2009 of the European Parliament and of the Council laying down health rules as regards animal by-products and derived products not intended for human consumption and implementing Council Directive 97/78/EC as regards certain samples and items exempt from veterinary checks at the border under that Directive
- REGULATION (EC) No 183/2005 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of
 12 January 2005 laying down requirements for feed hygiene
- REGULATION (EC) No 1831/2003 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of
 22 September 2003 on additives for use in animal nutrition
- COMMISSION REGULATION (EU) No 68/2013 (as amended by 2017/1017) of 16 January 2013 on the Catalogue of feed materials
- REGULATION (EC) No 767/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 13 July 2009 on the placing on the market and use of feed, amending European Parliament and Council Regulation (EC) No 1831/2003 and repealing Council Directive 79/373/EEC, Commission Directive 80/511/EEC, Council Directives 82/471/EEC, 83/228/EEC, 93/74/EEC, 93/113/EC and 96/25/EC and Commission Decision 2004/217/EC
- **DIRECTIVE 2002/32/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL** of 7 May 2002 on undesirable substances in animal feed
- COMMISSION DECISION (2007/275/EC) of 17 April 2007 concerning lists of animals and products to be subject to controls at border inspection posts under Council Directives 91/496/EEC and 97/78/EC
- **DIRECTIVE 98/8/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL** of 16 February 1998 concerning the placing of biocidal products on the market
- COUNCIL DIRECTIVE 91/271/EEC of 21 May 1991 concerning urban waste-water treatment
- **COMMISSION REGULATION (EC) No 1441/2007** of 5 December 2007 amending Regulation (EC) No 2073/2005 on microbiological criteria for foodstuffs
- REGULATION (EC) No 1829/2003 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 22 September 2003 on genetically modified food and feed
- REGULATION (EC) No 1830/2003 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 22 September 2003 concerning the traceability and labelling of genetically modified organisms and the traceability of food and feed products produced from genetically modified organisms and amending Directive 2001/18/EC
- **DIRECTIVE 97/7/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL** of 20 May 1997 on the protection of consumers in respect of distance contracts
- COMMISSION DIRECTIVE 2008/38/EC of 5 March 2008 establishing a list of intended uses of animal feedingstuffs for particular nutritional purposes

 REGULATION (EC) No 999/2001 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 22 May 2001 laying down rules for the prevention, control and eradication of certain transmissible spongiform encephalopathies

FEDIAF GUIDELINES [AVAILABLE ONLINE]

Nutrition Guidelines for Complete and Complementary Pet Food for Cats and Dogs: http://www.fediaf.org/self-regulation/nutrition/

Guide to Good Practice for the Manufacture of Safe Pet Foods: http://www.fediaf.org/self-regulation/safety/

Code of Good Labelling Practice for Pet Food: http://www.fediaf.org/self-regulation/labelling/

PUBLISHED LITERATURE

APHA disease surveillance reports (VIDA), 2013 [Available online:

https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/356653/vida-cattle-o6-13.pdf]

Bidawid, S., Farber, J. & Sattar, S., 2000. Contamination of foods by foodhandlers: Experiments on hepatitis A virus transfer and its interruption. *Applied and Environmental Microbiology*, Volume 66, pp. 2759-2763.

Bidawid, S. et al., 2004. Norovirus cross-contamination during food handling and interruption of virus transfer by hand antisepsis: experiments with feline calicivirus as a surrogate. *Journal of Food Protection*, Volume 7, pp. 103-109.

Brooks, 1985. Effect of diet on gastric secretion. *The American Journal of Clinical Nutrition*, Volume 42, pp. 1006-1019.

Chaban, Ngeleka & Hill, 2010. Detection and quantification of 14 Campylobacter species in pet dogs reveals and increase in species richness in feces of diarrhoeic animals. BMC Microbiology, 10(73).

DEFRA, 2011. Derogations from the Animal By-Products Regulation (EC) 1069/2009 and Regulation (EU) 142/2011: Authorisations by the Secretary of State to enable derogations to be used in England (update November 2014) [Available online:

https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/376076/apb-authorisations.pdf]

DEFRA, 2014. Study of Salmonella, Toxoplasma, Hepatitis E virus, Yersinia, Porcine Reproductive and Respiratory Syndrome virus, antimicrobial resistance in Campylobacter and extended spectrum beta lactamase E. coli in UK pigs at slaughter [Available Online:

http://randd.defra.gov.uk/Default.aspx?Module=More&Location=None&ProjectID=16871

Engvall, et al., 2003. Isolation and Identification of Thermophilic Campylobacter Species in Faecal Samples from Swedish Dogs. Scandinavian Journal of Infectious Diseases, 35(10).

Ettinger & Feldman, 2009. *Textbook of Veterinary Internal Medicine*. 7th Edition ed. s.l.: Elsevier Health Sciences.

FAO/WHO, 2008. Viruses in food: scientific advice to support risk management activities: meeting report, Rome: Microbiological Risk Assessment Series No.14. [Available online:

http://www.who.int/foodsafety/publications/micro/Viruses in food MRA.pdf]

FSA, 2008 A UK survey of campylobacter and salmonella contamination of fresh chicken at retail sale. [Available online:

http://tna.europarchive.org/20140306205048/http://www.food.gov.uk/science/research/surveillance/fsisbranch2009/fsis0409

FSA, 2008 *Criteria for the use of the terms fresh, pure, natural etc. in food labelling.* [Available online: http://www.food.gov.uk/sites/default/files/multimedia/pdfs/markcritquidance.pdf]

FSA, 2012 Risk profile in relation to toxoplasma in the food chain. [Available online: http://www.food.gov.uk/sites/default/files/multimedia/pdfs/committee/acmsfrtaxopasm.pdf]

FSA, 2015. *Campylobacter survey: cumulative results from the full 12 months (Q1-Q4).* [Available online: https://www.food.gov.uk/news-updates/news/2015/14003/campylobacter-survey-results-12months]

FSA, 2016 *Manual for Official Controls*, Amendment 72. [Available online: https://www.food.gov.uk/enforcement/approved-premises-official-controls/manual]

Hald, et al., 2004. Longitudinal Study of the Excretion Patterns of Thermophilic Campylobacter spp. in Young Pet Dogs in Denmark. Journal of Clinical Microbiology, 42(5), pp. 2003-2012.

Hickman, et al., 1990. Effect of Processing on Fate of Dietary [14C] Taurine in Cats. The Journal of Nutrition, 120(9) pp 995-1000

Hirst, Reed, Lund & Sanders, 1980. Sensitivity of Parietal Cells to Gastrin in the Cat: Comparison with Man and Dog. *Digestion*, Volume 20, pp. 300-306.

Koopmans, M. & Duizer, E., 2004. Foodborne viruses: an emerging problem. *International Journal of Food Microbiology*, 90(1), pp. 23-41.

Lowden, Wallis, Gee & Hilton, 2015. Investigating the prevalence of Salmonella in dogs within the Midlands region of the United Kingdom. BMC Veterinary Research, 11(239).

Meldrum, et al, 2005. Survey of Salmonella and Campylobacter Contamination of Whole, Raw Poultry on Retail Sale in Wales in 2003. Journal of Food Protection, 7, pp. 1336-1534

Merck Veterinary Manual, 2010. *Overview of Salmonellosis*. [Accessed online: http://www.merckvetmanual.com/mvm/digestive-system/salmonellosis/overview-of-salmonellosis.html? qt=salmonella%20dog&alt=sh]

Podell M, 2002 Inflammatory myopathies. Vet Clin North Am Small Anim Pract 32: 147–67


Queen, Marks & Farver, 2012. Prevalence of Selected Bacterial and Parasitic Agents in Feces from Diarrhoeic and Healthy Control Cats from Northern California. Journal of Veterinary Internal Medicine, 26(1), pp.54-60.

Summa, M., Bonsdorff, C. v. & Maunula, L., 2012. Pet dogs - A transmission route for human noroviruses?. *Journal of Clinical Virology*, 53(3), pp. 244-247.


ANIMAL BY-PRODUCTS COMMERCIAL DOCUMENT—TO ACCOMPANY ANIMAL BY-PRODUCTS

Consignor, transporter, and receiver each to retain a copy of this document for two years

Section 1 (to be completed by consignor) Unique number:			
Name of consignor: Date:			
Lic/app/reg no. of consignor:			
Address of consignor:			
Place of origin of material:			
Description of the material and ABP category			
Quantity of material:			
Name of haulier:			
Signed for consignor: Name:			
Section 2 (completed by haulier)			
The above material was collected from the consignor and delivered to the consignee in compliance with EU Regulation (EC) No 1069/2009 and EU Regulation (EC) No 142/2011			
Date on which material was taken from the above premises:			
Signed for haulier: Name:			
Name and address of carrier:			
Section ₃			
Name of receiver:			
Approval number of receiver (if applicable):			
Address of receiver:			
I confirm that the material identified in section 1 above was received at the named consignee premises from the named haulier.			
Signed for consignee: Name:			



DECISION TREE TO IDENTIFY CCPS AND OPRPS



From FEDIAF Training Package Module III 'Hazard Analysis of Critical Points'

$\begin{tabular}{l} \textbf{EXAMPLES OF HAZARDS TO CONSIDER IN HACCP DESIGN-FROM FEDIAF TRAINING GUIDE} \\ (not intended to be comprehensive) \end{tabular}$

Critical Control Point/OPRP depending on your HACCP.	Hazard to be controlled	Control Method	
Transport/storage	Contamination or deterioration (e.g. temp))	Assurance and inspection programme	
Raw Materials conform spec.	Incorrect or contaminated raw materials (e.g. SRM)	Supplier Assurance program and incoming inspection	
Processing	Growth of spoilage bacteria in process (e.g. High number of Salmonella due to poor processing conditions; AW, time and temperature, cross contamination)	Monitoring/inspection, shelf life control	
Metal detection	Metal contamination	Permanent magnets, electric metal detection device. Visual inspection where lead shot/non-ferrous metal may not be detected automatically	
Cooling / Freezing	Microbiological ingress during cooling		
Storage, transport, including point of sales	Contamination or deterioration, Growth of micro-organisms	Warehouse assurance and vehicle? inspection program, temperature monitoring	
Handling of primary package	Contamination or deterioration due to loss of packaging integrity	Visual control	

GENERAL STEPS IN A PRODUCT RECALL

- Reason for a recall is identified as a significant threat to public or animal health, or the environment
- Manufacturer notifies competent authorities (APHA and FSA/FSS) of their intention to recall a product or the Government or competent authorities may request a recall of a product
- Scope of the recall is specified through identification of affected serial or batch numbers of the product affected
- Manufacturer utilises traceability channels to identify location of all affected batch(es) and investigate probable source of original contamination
- > Communication channels are established, such as consumer hotlines
- ➤ Product recall announcements are made through multiple media portals including the respective government agencies website, and often comprise prepared statements from the manufacturer
- > Typically, consumers are instructed to return or destroy affected goods and obtain a full refund
- > Full details and outcome of the recall is monitored and shared with relevant competent authorities

EFFECT OF FREEZING ON KEY <u>PARASITE</u> AND <u>PROTOZOAL</u> ORGANISMS:

[To note: Does not include microbiological organisms]

Parasite/Protozoa		Potential source of infection	Lethal effect of freezing	Evidence	
Cestodes (Tapeworm)	Taenia spp.		Raw beef, lamb and pork	BEEF – 9 days at - 10°C LAMB – 7 days at - 10°C PORK – 4 days at 0°C	(Hilwig, et al., 1978) (Whitten, 1971) (Balderas, et al., 2009)
	Echinococcus (Hydatid cysts)		Raw intermediate host (sheep, goat, pig, cattle)	10 days at -18°C	(Veit, et al., 1995)
Nematodes (Roundworm)	• •		Raw carcass and offal (paratenic hosts)	10 days at -20°C (100% effective) 10 days at 0-4°C (95% effective)	(Dutra GF, et al., 2013)
Trematodes (Fluke)	Neorickettsia helminthoeca		Raw Salmon (USA, Canada, British Columbia and Brazil)	>24h at -20°C	(Gorham & Foreyt, 2006)
	Paramphistomes (Rumen fluke)		Raw tripe BUT larval stage not infective - must consume metacercaria stage encysted on grass from infected snail	Unknown	(Skuce, et al., 2013)
Protozoa	Coccidia	Sarcocystis	Raw lamb Faecal-oral route	7 days at -18°C	(Gestrich, 1974)
		Neospora	Raw beef Transplacental transmission	7 days at -18°C	(Lindsay & Dubey, 1989)
	Toxoplasma gondii		Any raw meat Transplacental transmission Faecal-oral route	4 days at -12°C Rendered non- infective by freezing	(Kuticic, 1992) (Fayer, 1980)
Crustacean (or Pentastomid)	(or (tongue worm)		Raw offal	3h at -18°C	(Basti, et al., 2011)

- Balderas, Villalobos & Aluja, 2009. Effect of different temperatures (freezing and boiling) in pork on the viability of metacestodes of Taenia solium. *Veterinaria México*, 40(2), pp. 191-196.
- Basti, et al., 2011. Effect of different temperature conditions on survival time of Linguatula serrata nymphs. *Human and Veterinary Medicine*, 3(2), pp. 76-82.
- Dutra GF, et al., 2013. Evaluation of the initial and chronic phases of toxocariasis after consumption of liver treated by freezing or cooling. *Parasitology Research*, 112(6), pp. 2171-2175.
- Fayer, 1980. Epidemiology of protozoan infections: The coccidia. *Veterinary Parasitology*, 6(1-3), pp. 75-103.
- Gestrich, 1974. *Investigations on survival and resistance of Sarcocystis fusiformis cysts in beef.* Munich, s.n., p. 117.
- Gorham & Foreyt, 2006. Salmon Poisoning Disease. In: C. Green, ed. *Infectious Diseases of the Dog and Cat (3rd Ed).* St. Louis, USA: Saunders Elsevier, pp. 198-203.
- Hilwig, Cramer & Forsyth, 1978. Freezing times and temperatures required to kill cysticerci of Taenia saginata in beef. *Veterinary Parasitology*, 4(3), pp. 215-219.
- Kuticic, V., 1992. Otpornost tkivnih cista Toxoplasma gondii na smrzavanje. *Vet Arh*, Volume 62, pp. 213-216.
- Lindsay & Dubey, 1989. Neospora caninum (Protozoa: Apicomplexa) Infections in Mice. *The Journal of Parasitology*, 75(5), pp. 772-779.
- Skuce, Zadoks & Sargison, 2013. Update on rumen fluke and 'other' fluke in UK livestock. COWS Fluke R&D Workshop, Liverpool University.
- Veit, et al., 1995. Influence of environmental factors on the infectivity of Echinococcus multilocularis eggs. *Parasitology*, 110(1), pp. 79-86.
- Whitten, L., 1971. The effect of freezing on the viability of Taenia ovis cysts. *New Zealand Veterinary Journal*, 19(9), p. 223.

MICROBIOLOGICAL SAMPLING PROTOCOL

What to sample and when (Details of sampling frequency by material are detailed on each APHA licence)

Manufacturers must send separate samples from each product line to be tested for:

How to sample

Consult your local APHA inspector who can advise on taking a representative sample and sample preparation in compliance with the set plan customised to the individual plant.

Collecting and storing a backup B sample

The sample that you send to the laboratory for testing is known as the A sample.

When you take the A sample, you must take a second B sample in exactly the same way. Seal the B sample in a container and place it in a fridge that is not used for storing food.

You will need to send the B sample to the laboratory if the laboratory can't test your A sample for any reason (eg if it is lost or damaged). You can destroy your B sample if your A sample passes the test (laboratory results show it contained an acceptable level of bacteria).

If your A sample fails the test (the laboratory results show it contains too high a level of the bacteria it was tested for) you can't send your B sample in place of the A sample. You must tell APHA you failed the test.

CHECKLIST OF ACTION TO TAKE IN RESPONSE TO A SALMONELLA TESTING FAILURE:

- ✓ Notify local APHA office immediately
- ✓ Products cannot be placed on the market as they are not compliant with the ABP Regulation
- ✓ Ensure result is recorded in written or electronic form and filed for future reference
- ✓ Agree with APHA a proposed solution to investigate the failure and explain how the problem will be resolved and its reoccurrence prevented, such as:
 - o Identify any finished product containing the affected material that is still on site and arrange for its safe disposal
 - o Trace upstream and downstream to identify from which suppliers the failed sample came from, bearing in mind the possibility of a product recall.
 - o Review supplier through vendor assurance, arrange a visit if necessary and investigate possible routes of contamination
 - Review relevant product specification brief, make necessary changes and discuss with suppliers affected
 - o Review HACCP throughout production and identify any possible routes of contamination.
 - Conduct serotyping to collect further information on Salmonella strain and relative pathogenicity in an APHA official laboratory.
 - o Thorough cleaning and disinfection of equipment and work areas